



# EVALUATION OF THE STABILITY OF IMMEDIATE PLACED DENTAL MAXILLARY IMPLANT IN FRESH EXTRACTED SOCKET VERSUS DE-LAYED PLACED IMPLANT

Ahmed R Hemeda \*, Mohamed A Mohamed \*\*, Ahmed A El Feke \*\*\*

## ABSTRACT

**Objective:** To evaluate the stability of Immediate placed dental maxillary implant in fresh extracted socket versus delayed placed implant in healed site. **Methods:** This study consisted of 10 patients having twenty implant divided into two groups. (Ten each) First group, immediate implant placed in fresh extracted socket. Second group, delayed implant at the healed bone site. Both groups were placed at the anterior region of maxilla. Implant stability quotient (ISq) was measured by Osstell mentor device and was recorded at the time of implant placement (T1) and 20 weeks after placement, at the time of implant loading (T2). All implants were not functionally loaded during the follow up period. Cone Beam Computed Tomography (CBCT) were taken to detect the alveolar bone height, width and bone density **Results:** No implant failures were reported in the 6-month follow up period. The study showed that no differences in the stability at the time of loading (T2) between immediate placed implant in fresh extracted socket and delayed placed implant in healed sites compared with (T1) during the time of installation. **Conclusion:** Immediate implant is better than delayed placed implant in indicated cases due to it is advantages.

## **INTRODUCTION**

Teeth replacement using dental implants has proven to be successful and predictable treatment procedure. Different placement and loading protocols have evolved from the first protocols in order to achieve quicker and easier surgical treatment times. Dental implants are classified according to the timing of dental implant placement as immediate, immediate -delayed and delayed dental implants. In immediate implant, the implant is placed in fresh extracted sockets. In immediate-delayed implant, the implant is placed in less than 8weeks after tooth extraction while in delayed implant, the implant is placed more than 8 weeks after tooth extraction. In delayed implant, after tooth extraction, the alveolar bone remodels and resorbs. Two third of this reduction occurs within the first three months and within one year the clinical width of the alveolar ridge is reduced by approximately 50%. The mean vertical loss of tissue at single extracted sites ranges between 1 and 4mm depending on site location. This physiologic phenomenon occurs at different degree and rates and in some cases it can be very pronounced, this defect affects the possibility of placing dental implants and their aesthetic outcome especially at aesthetic areas and in those patients exposing visible portions of gums when speaking and smiling. So the immediate dental implant can overcome this problem as it decrease the bone resorbtion after extraction. <sup>(1,2)</sup>

The concept of immediate implant placement following tooth extraction has been introduced in 1976 by Sculte and Heimke. <sup>(3)</sup> The drawbacks for immediate implant are decrease in primary stability compared to implants placed at healed sites and lack of soft tissue healing with frequent

<sup>\*</sup> B.D.S, 2010 G. Faculty of Dental Medicine, Al-Mansoura University, Dentist at Egyptian Ministry of Health

<sup>\*\*</sup> Professor of Oral and Maxillofacial Surgery Department, Dean of Faculty of Dental Medicine, Cairo Boys, Al-Azhar University

<sup>\*\*\*</sup> Lecturer of Oral and Maxillofacial Surgery Department, Faculty of Dental Medicine, Cairo Boys, Al-Azhar University

flap dehiscence over extraction sites. The problem of primary stability would be solved by direct bone implant contact. The primary stability indicates the future osseointegration and thus long-term success of implant therapy. If there is any problem in the primary stability, it will affect the healing which lead to implant failure.<sup>(4,5)</sup>

The primary stability is evaluated by percussion, reverse torque test, radiograph analysis, periotest, dental fine tester and resonance frequency analysis (RFA). RFA has been widely used to detect loading and assess changes in implant stability over time.<sup>(6,7)</sup>

So this study was conducted to evaluate the stability of immediate placed implant after tooth extraction in fresh sockets versus delayed placed implant.

# PATIENT AND METHODS

Ten systemically healthy and physical fit. Patients were carefully selected from outpatient clinic at the Department of Oral and Maxillofacial Surgery, Faculty of dental medicine, Al Azhar University. Each patient would have edentulous area for delayed implant placed in healed socket and also complaining of a tooth needed to be extracted and replaced with immediate placed implant in fresh extracted socket. So in this study we have ten patient having twenty implant divided into two groups. First group, immediate implant placed in fresh extracted socket. Second group, delayed implant at the healed bone site. Both groups were placed at the anterior region of maxilla. Preoperative cone beam Computed Tomography were taken for patients to detect width and length of each implant

## Surgical procedure

Local anesthesia was injected into the oral mucosa and palatally using mepivacaiene for anesthetizing the site of the surgery then vertical releasing incision, curvilinear beveled and papilla sparing incision to reduce incision scaring. After socket preparation in group A the drilling was done for both group, Implants were installed and smart pegs were attached for recording the primary stability (T1) by Osstell devise. The flap repositioned and closed. After 20 weeks secondary stability were recorded (T2) for both groups

## **Post-operative evaluation:**

Pain has been evaluated by using visual analogue scale (VAS), on the first and seventh days. Patients were asked about the pain severity according to the scale .

## **Biomechanical evaluation.**

### The Primary stability

Primary stability was tested by Osstell device and data were recorded and tabulated (Fig 1) Secondary stability also was recorded after twenty weeks by Osstell device and data were recorded and tabulated.



FIG (1) Photographs showing recording Stability

## Marginal Bone loss

Pre-implant crestal bone level was measured using (CBCT) at 3, 6 month after the operation. Reference point for the linear measurements were the most coronal margin of the implant collar in relation to the most coronal point of bone -toimplant contact.

Statistical analysis

# Bone density

In the current study (CBCT) images were used for evaluation of bone density around all implant sides all over. At one week, 3, 6 month postoperative. The parameters for production of the image were constant for all images. The collected data were tabulated and statistically analyzed IBM® SPSS® Statistics Version 20 for Windows

# RESULT

## Implant Stability Quotient (ISQ) results:


TABLE (1): Showing mean values of implant stability in both groups at different intervals

Stability	Immediately placed		Delayed placed		"t" value	n uglus
Time	Mean	SD	Mean	SD	i vaiue	p-value
After 1 day	56.35	±2.44	66.40	±2.00	10.082	0.0000*
After 20 weeks	74.00	±3.72	76.00	±3.43	1.251	0.113 NS
"t" value	14.383 7.09					
p-value	0.0000*		0.0000*			

There was statistically significant increase in implant stability after 20 weeks in both groups. At the surgery time (T1), the delayed implant group showed statistically significantly higher stability ( $66.40\pm2.00$ ) than immediately placed implant group ( $56.35\pm2.44$ ). This difference was statistical not significant after 20 weeks (T2) ( $74.00\pm3.72$  for immediately place implant group and  $76.00\pm3.43$  for delayed implant group).

# **Radiographic bone density results:**

Bone density was estimated from the (CBCT) and the descriptive statistics of the result were summarized at table (2) and drown in figure (3).






TABLE (2): Descriptive st	atistics of bone densit	y around impl	lants in both group	ps throughout the	follow up period.

Bone density	Immediate		Delayed			Duckshiller
	Mean	SD	Mean	SD	"t" value	Probability
1 W	979.90	±42.68	1079.90	±42.68	5.240	0.0000
3 Months	1035.40	±25.07	1134.90	±25.56	8.789	0.0000
6 Month	1083.00	±28.21	1187.50	±31.91	7.760	0.0000
F ratio	24.616		24.866			
Probability	0.0000		0.0000			
LSD	25.05		25.987			

In both groups there was statistically significant increase of bone density after 3 and 6 months postoperatively. In each interval, the bone density around installed implants was significantly higher in delayed implant group than in immediate implant group.




FIG (3) Bar chart showing mean values of bone density in both groups throughout the follow up period.

#### DISCUSSION

Primary stability is a prerequisite for osseointegration resulting from the mechanical interaction between bone tissue and the implant during surgical insertion, <sup>(8)</sup> may be affected by the macro-geometry of the screw, surface roughness, and surgical technique and primarily functions to inhibit micromovement of the implant, <sup>(9)</sup> promotes proliferation and differentiation of the osteoblast cells, and inhibits fibrous tissue invasion and encapsulation.<sup>(10)</sup> This study was conducted to compare primary stability and secondary stability between implant placed immediately after tooth extraction and implant placed in healed socket by resonance frequency analysis (osstell), to evaluate crestal bone loss occurred in both groups, for this purpose; twenty implants were placed in ten patients each one received two implant one placed immediately after tooth extraction and one placed in healed socket. The patients were six males and four females ranged in age from 25 to 40 years. All the implants were placed in maxilla. Observations were made postoperatively at time of implant placement, three months and six months follow up periods for pain, stability, bone density and crestal bone loss. Subjects were older than 25 years (completed bone growth of jaws), partially edentulous in anterior area of maxilla, having at least 2 mm of attached keratinized gingiva on the buccal and palatal aspects of the bone, ready and ability to comply with pre- and postoperative diagnostic and clinical evaluation required for this study. In each patient, Two Replace Tapered Implant, were placed by the same surgeon. All implants were placed following the concept of two stages. After implant placement, healing period was 20 weeks and then implants were planned to be functionally loaded with a single metal-ceramic crown.

Primary stability is one of the crucial factors in determining long-term success of implant therapy. In addition primary stability is the basis for determination of loading protocols. (11) SO in this study, tapered shape implants were used to enhance primary stability, this was in agreement with Valente et al. (12) as they concluded that better primary stability was achieved using tapered implants in comparison to the cylindrically shaped implants. Drilling has been extended 2 - 3mm apically beyond the apex of the root or the base of the socket to gain primary stability for the implant from the apical bone. The drilling should be deviated bodily toward the palatal side along the drill to preserve the buccal plate of bone (avoid any fenestration of the buccal plate) and to meet the prosthetic requirements. In this study, Osstell Mentor (Integration Diagnostics AB, Goteborg, Sweden) was used for recording Implant Stability Quotient (ISQ) measurement at the time of implant placement (T1) and before loading (T2) after 20 weeks of dental implant placement in both study groups. Implant survival was evaluated according to Misch criteria, (13) implant remained in patient's mouth, no pain on function, no mobility,

no history of pre-implantitis, and less than 1 mm of crestal radiographic bone loss. An ISQ value is generated and shown on the display. It reflects the level of stability on the universal ISQ scale - from 1 to 100. The higher the ISQ value, the more stable the implant. (14) Many studies have shown that implants whose ISQ values exceed 65 before functional loading have 99% survival rate and ISQ values of 57 to 82 have been used as threshold values for implant success. (15) ISQ values less than 45 indicate failure of the implant. The current study has indicated successful implants for all patients throughout this study. The ISQ values recorded in this study at T1 (56.35 with SD 2.44 for immediate implant and 66.40 with SD 2 for delayed implant) and T2 (74 with SD 3.72 for immediate compared to 76 with SD 3.43 for healed sites). The current study was in agreement with Turkyilmaz and mcGlumphy, (16) as their study showed that 170 successful implants had a mean ISQ value of 62.6 compared to 20 failed implants with the mean ISQ value of 54.9. In this study, all implants were functionally loaded 20 weeks after implant placement. Rowan et al. (17) also compared ISQ values between 41 implants placed immediately and 96 implants placed at healed site. All implants were also functionally loaded 20 weeks after initial implant placement. Their results showed the mean ISQ value of 68.56 at t1 and 71.23 at t2 for immediate placement, as well as the mean ISQ value of 70.14 at t1 and 77.31 at t2 for delayed placement. Kim et al.<sup>(18)</sup> in the literature indicated that successfully integrated implants showed an increase of ISQ values and that RFA is suitable for prediction of implant success/failure. As there were no implant failures in the follow up period, results of this study supported the concept of immediate implant placement following tooth extraction under favorable conditions with delayed implant loading. Future studies including more patients and longer follow up are needed to assess the long-term success of immediately placed implants.

#### CONCLUSION

From the abovementioned results the following conclusions could be drawn. Immediate implant is better than delayed placed implant in indicated cases due to decrease in number of surgical interventions, Shortened time of treatment, Bone preservation around the socket especially the buccal bone, Orientation of dental implants is easier and ideal, Good aesthetics for soft tissue, Absence of active infections, Adequate mechanical retention due to intact buccal bone and narrow alveolar bone. There is no differences in the stability at the time of loading (T2) between immediate placed implant in fresh extracted socket and delayed placed implant in healed sites compared with (T1) during the time of installation

#### REFERENCES

- ADELL R, LEKHOLM U, ROCKLER B, BRA NE-MARK P-I. A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. Int J Oral Surg. 1981;10:387-416.
- VAN DER WEIJDEN F, DELLACQUA F, SLOT D. Alveolar bone dimensional changes of post extraction sockets in humans: a systematic review. J Clin Periodontal. 2009;36(12):1048-58.
- SCHULTE W, HEIMKE G. The Tubinger immediate implant. Quintessenz. 1976;27(6):17-23.
- LAZZARA R. Immediate implant placement into extraction sites: surgical and restorative advantages. Int J Periodontics Restorative Dent. 1989;9(5):332-43
- WATZEK G, HAIDER R, MENDSDORFF-POUILLY N, Haas R., immediate and delayed implantation for complete restoration of the jaw following extraction of all residual teeth: a retrospective study comparing different types of serial immediate implantation. Int J Oral Maxillofac Implants. 1995;10(5):561-7.
- O'SULLIVAN D, SENNERBY L, MEREDITH M. Measurements comparing the initial stability of five designs of dental implants: a human cadaver study. Clin Implant Dent Relat res. 2000;2(2):85-92.
- FRIBERG B, SENNERBY L, MEREDITH M, LEK-HOIM U. A comparison between cutting torque and resonance frequency measurements of maxillary implants:

a 20-month clinical study. Int J Oral Maxillofac Surg. 1992;28(4);297-303.

- Kim DS, Lee WJ, Choi SC, et al. Comparison of dental implant stabilities by impact response and resonance frequencies using artificial bone. Med Eng Phys 2014;36:715–720.
- Mazzo CR, Reis AC, Shimano AC, Valente ML. In vitro analysis of the influence of surface treatment of dental implants on primary stability. Braz Oral Res 2012;26:313–317
- Jung UW, Kim S, Lee IK, Kim MS, Lee JS, Kim HJ. Secondary stability of microthickness hidroxyapatite-coated dental implants installed without primary stability in dogs. Clin Oral Implants Res 2013;25:1169–1174
- Seong WJ, Holte JE, Holtan JR, Olin PS, Hodges JS, Ko CC. Initial stability measurement of dental implants placed in different anatomical regions of fresh human cadaver jawbone. J Prosthet Dent. 2008;99(6):425-34.
- Valente ML, De Cas tro DT, Shi mano AC, Lepri CP, Dos Reis AC. Analysis of the influence of implant shape on primary stability using the correlation of multiple methods. Clin Oral Investig. Epub 2015 Feb 14.
- Misch C, Perel ML, Wang H, Sammartino G, Galindo-Mo reno P, Trisi P, et al. Implant success, survival, andfailure: International Congress of Oral Implantologists (ICOI) Pisa Consensus Conference. Implant Dent. 2008;17(1):515.

- Park JC, Lee JW, Kim SM, Lee JH. Implant Stability Measuring Devices and Randomized Clinical Trial for ISQ Value Change Pattern Measured from Two Different Directions by Magnetic RFA, Rapidly Evolving Practice 2011;5:111-30.
- 15. Bornstein MM, Hart CN, Halbritter SA, Mo rton D, Buser D. Early loading of non-submerged titanium implants with a chemically modified sand-blasted and acid-etched surface: 6-month results of a prospective case series study in the posterior mandible focusing on periimplant crestal bone changes and implant stability quotient (ISQ) values. Clin Implant Dent Relat Res. 2009;11(4):338-47.
- Turkyilmaz I, Mc Glumph y EA. Influence of bone density on implant stability parameters and implant success: a retrospective clinical study. BMC Oral Health. 2008;8:32. doi: 10.1186/1472-6831-8-32.
- Rowa n M, Lee D, Pi-Anfruns J, Shi ffler P, Agha loo T, Mo y PK. Mechanical versus biological stability of immediate and delayed implant placement using resonance frequency analysis. J Oral Maxillofac Surg. 2015;73(2):253-7.
- Kim SL, Ri beiro ALVL, Atlas AM et al. Resonance frequency analysis as a predictor of early implant failure in the partially edentulous posterior maxilla following immediate non-functional loading or delayed loading with single unit restorations. Clin Oral Implants Res. 2015; 26(2):183-90.