UNITED ARAB REPUBLIC

THE INSTITUTE OF NATIONAL PLANNING



Not the No / My Lande

Memo. No. 1109

PLANNING OF INDUSTRIAL PRODUCTION IN THE USSR

BY

G. GALAKHOV

June 1975

PLANNING OF INDUSTRIAL PRODUCTION IN THE USSR

(Summary of reports and discussions held in March-April, 1975 in the Ministry of Planning of the A.R.E.)

The main target of industrial planning is to strengthen the Socialist economy industrial base with a view to
meet more completely the Soviet people's requirements, proportional development and improvement the structure of collective production, increase of its technical level and
quality of products.

Improtant economic, social as well as scientific and technical problems are solved in the plan of developing the industry, which takes up a central place in the national economic planning (two thirds of the national product).

Referred to their number are as follows:

- improvement of the production structure by means of advancing development of those industrial spheres which determine scientificand technical porgress and efficient development of national economy (engineering, including the creation of perfect machine systems for reequipment of the national economic sectors on the basis of the supreme technology, chemical industry);
- optimum coordination of rates and proportions of production means (group "A") and consumed goods (group "B"), minding simultaneously still more and more complete meeting of the population's requirements;
- improvement of locating industries and regional economic connections on the basis of further speedy mastering of

natural resources:

- → creation and introduction of principally new types of
 working tools, materials, technological processes.
- 2. Plan of industrial production as a complete programme of developing industries, includes tasks on the output production volumes, utilization of scientific and technical achievements in production; capital construction; labour and personnel; profits of the production cost-price, finances and credits; material and technical provision.

This lecture considers the main questions of developing a Plan of Industrial Production.

For the national economy as a whole the Plan of Industrial Production is compiled by the USSR State Planning Committee (The USSR Gosplan) at a preliminary stage proceeding from general economic and balance estimates of the USSR Gosplan departments, and further on the basis of proposals from country's Ministries and agencies. In full scope the Plan is elaborated for separate sectors by a Ministry-producer as well as for the Union Republics and economic regions.

Sectoral planning is effected by the Ministries in conformity with the classification of the national economic sectors and industrial spheres elaborated by the USSR Gosplan together with USSR Central Statistical Authority. That classification consists of I8 sectors (including the electric power) and I40 sub-sectors.

The USSR Gosplan departments are considering draft plans with participation of the Ministries, agencies and the Union Republics, State Committees for Science and Technology, Construction, Material and Technical Provision, and trade

unions. A procedure of elaborating and approving plans on industry corresponds to a general system of planning stipulated in the Lecture on organizing the USSR Planning.

3. A scope of producing the industrial output is defined in the Plan proceeding from estimates of the national economy requirements which are ordinarily done according to a reduced form of material balance (without distribution of material balances among the consumers).

Requirements in the produce of a sector is defined by the following formula:

P= Q° N_o • $K_1 + S_t + \Delta Z + E - I$ where:

Q - is an indicator reflecting a dependence of the sectoral production volume upon the development of other sectors and factors. For instance, for the construction materials industry this factor, viz.: construction-erection works; for engineering it will be subdivided into the produce intended for meeting new projects' requirements and replacement of equipment at operating units as well as the construction works connected with the above. A detailed estimate of requirements depends on a stage during which that estimate is carried one

No - consumption rate during the base period;

Ky - change of the rate in the base period;

St consumption of the products manufactured inside the sector;

ΔZ - increase of stocks at the producing sector and other special expenditures, viz.: defense, etc.;

E - export

I - import

Indicators of the Industrial Production Plan are elaborated in physical and monetary terms, physical indicators being initial for defring the monetary ones.

To determine the planned scopes of production a unified nomenclature of the produce is applied. It consists of a list of products and units of their measuring. The nomenclature of the most important products approved in the plan by the USSR Council of Ministers and the USSR Gosplan comprises about 3 thou. items; with due account to the one planned by the Ministries and agencies it exceeds 40 thou. items.

The inclusion of the produce into the nomenclature of the national economic plan is defined by the following criteria:

- a role of the given produce in further development of the country's industrial potential and strengthening of its defensive capacity;
- a significance of the produce for heightening of the nation's living standard;
- a role of the produce for developing the external economic relations.

A unit of measuring the produce reflects as a rule the physical volume of production and its consuming properties.

The consuming properties of the produce are accounted for either by combination of double indicators, e.g.: excavators are planned by a quantity (in pcs.) and a bucket capacity (in cu.m.), or conventionally physical indicators are used for this

purpose. For instance, fuel-power resources are calculated in conventional fuel, metal-in steel of No. 3 grade, mineral fertilizer-in conventional units according to the contents of useful essence. The application of such measuring units is particularly important for coordinating the production scopes with the requirements in the output of production and technical design for evaluating the produce quality.

The production plan includes only the qualitative products that meet the technical requirements stipulated in the State standards and technical specifications. The enterprise management bears the administrative and economic responsibility including the penal responsibility for introduction of non-qualitative products in the plan and their systematic output.

For the past years the USSR has been carrying on the certification of products for three categories:

- top category that meets the highest domestic and foreign achievements. These products are given the Mark of Quality;
- first category which quality meets the modern requirements and satisfies the needs of national economy, population and export;
- second category which quality shall be improved in connection with the growing requirements.

With respect to the said category the plan shall envisage its improvement or discard.

There is envisaged a systematic recertification of products and revision of standard and technical specifications in force that stipulate the quality of products.

The following indicators are used in the plan:

- increase of products share with respect to the top category of quality;
 - number of second-category articles to be discarded;
 - number of revised standards and technical specifications.

The summarizing document to be made out for major types of products includes technical sheets that stipulate the indicators characterizing reliability, durability, level of standardization and unification of articles and compare their parameters with the highest world standards.

While planning the importement of products quality used are relevant forecasts for a long-term perspective that are based on the analysis of tendencies of scientific and technical progress and changes in the requirements of natural economy and population.

5. The planning of production programme is directed to the perfection of public labour arrangements, development of combined specialization and cooperation of industrial production.

The planning of combination is aimed at providing for complex processing of raw materials or use of fuel, reduction of losses and wastes. It is particularly important for iron and steel industry, chemical and wood-processing industry, oil refining, food and light industries.

The level of combining is characterized by the following indicators: cost of production, obtained from a unit of raw materials and a degree of extracting useful components out of ores.

As a summarizing indicator the specific weight of the produce is used at combined enterprises in total output of the given produce evaluated in monetary or physical terms.

The production combining is coordinated as a rule with its concentration and specialization.

First and foremost the specialization is carried on in the sectors where there is a large nomenclature of production and the technological process is characterized by many operations. The sectors are as follows: engineering, building materials, chemical and light industry, wood-working.

There are subject, component and technological forms of specialization.

The indicators of specialization are as follows:

- share of production that is specialized on manufacture of individual types of machinery and equipment, component, packs and units;
- number and share of specialized shops and enterprises in the total number of enterprises, shops that manufacture the given type of products;
- share of specialized equipment in the general pool of equipment;
- share and number of standardized and unified components and packs in the total volume of its production.

The economic efficiency of specialization on economizing the current expenditure is determined by the following formula:

$$\mathbf{E} = \left[(\mathbf{C}_1 + \mathbf{T}_1) - (\mathbf{C}_2 + \mathbf{T}_2) \right] \cdot \mathbf{B}$$

where:

- C₁ and C₂ cost price of products unit prior to and after specialization;
- T₁ and T₂ transport expenditure per unit of products prior to and after specialization;
- B annual output of products after specialization.

Moreover, economizing of capital expenditure and change in labour productivity and profitability level.

The specialization plan is supplemented with the cooperation plan of enterprises in the form of supplying the products of input-output application including castings, forgings and dies, etc.

Particular attention is paid herewith to establishment of long-term direct production relations among the sectors, enterprises and economic regions.

The cooperation plan in the form of supplies of certain products is worked out for the products of input-output application and interministerial use based on the material balances.

The mutual relations between the consumers and the suppliers are regulated by the contracts.

6. The summarizing indicator of products output volume is the sold industrial products which cost includes finished articles to be supplied and payable in the planned period as well as semifinished products of domestic production and works and services of industrial character to be executed and rendered by the given enterprise.

The major part of products sold is the commodity products that, as the products sold, is estimated at the existing prices and the prices stipulated in the plan.

The change in production volume is determined by the indicator of gross products that are estimated at constant prices. The constant prices are used for a longer period of 5-6 years and over that facilitates to carry on the comparison

of sectorial products growth rates for a long-term period.

While estimating the gross products particular attention is paid to correctness of determining the average-group prices and their change with due account to expansion of varieties, increase in output of new high-quality articles.

7. To substantiate a possible volume of products the estimates of use of productive capacities are carried on, the said estimates facilitate to reveal possibilities of products output increase at the running enterprises and substantiate the required commissioning of new capacities in the planned period.

The production capacity of enterprise is a maximum possible output of products that reflects the introduction of progressive technology for improving the arrangement of production and labour.

The production capacity is quantitatively estimated by the capacity of key equipment for the given enterprise. The fund of operation time of the said equipment is estimated with due account of maximum use of equipment by time after deduction of the time required for maintenance and repairs.

Upon expiration of mastering time the production capacity will exceed the designed capacity due to carrying on the arrangements that reflect the constant process of improvement of production technology and organization.

The estimates take into account the designed capacity with respect to new enterprises that operate but not yet achieved the production equal to the designed capacity. The sum of capacities of individual enterprises makes out the production capacity of a sector for output of products of a given type.

The output of products from capacities for each year of the planned period is determined on the basis of average annual estimated capacity and the planned coefficient of its use.

The existing average annual capacity is determined on the basis of time periods of its functioning per annum. For instance, the enterprise has a designed capacity of 100 units and starts to function in the first quarter, i.e. it operates three quarters a year, therefore its average annual capacity is equal to

$$100 \times \frac{3}{4} = 75$$

For the five-year plan when the specific commencing time of functionning or stoppage of enterprise activities has not clearly fixed, the coefficient 0.35 is used, this coefficient has been previously estimated on the basis of analysis of actual data for industry as a whole.

The plan coefficient of existing average annual capacity takes into account any improvement of conditions for the enterprise operation in the stipulated period proceeding from reduction of equipment idle time:

- a) due to various reasons (lack of raw materials, fuel, skilled manpower, etc.);
- b) improvement in arrangement of production and labour, reduction of working time losses;
- c) improvement in joint coordinated work of enterprise shops;
- d) faller mastering of new capacities.

The planning of production capacities use is based on the detailed analysis of system that characterizes the feasibility indicators. They include first and foremost a degree of equipment use, output of products from the key equipment or output from one sq.m. of production space, output per one machine, etc.

The equipment use by time: shift factor of equipment operation, its operating conditions, working time losses for the base period and their possible elimination; smooth operation of enterprise by time (beginning and end of a month).

Losses of products due to drawbacks in the materials supply.

As a result of analysis determined is a quantitative level, reached and possible, of capacities use as well as the arrangements to be carried on.

The change of capacity in the plan period is given with respect to three sections:

- 1. At enterprises running as on the beginning of plan period;
- 2. To be commissioned within the plan period;
- 3. total (1+2=3).

The first section determines an increase in capacities, the said increase is achieved mostly due to organizational and technical arrangements.

The organizational and technical arrangements include: intensification of production processes (introduction of higher
speeds, voltage, pressure, temperature, etc.), modernization and
replacement of obsolete equipment, installation of additional
equipment at existing production areas, improvement of quality

of raw materials and basic materials and other arrangements that reflect the impact of technological progress, cooperation development and production specialization, introduction of scientific organization of labour and production.

The USSR industry plans an annual increase of capacity from 3% to 5% due to the said factor.

The succession of estimates of production capacities:

a) determination of capacity at the beginning of a year. The
data are taken for the base year from the previously composed
plan or by its assessment or from the actual statistical data;
b) increase in capacity due to the above organizational and
technical arrangements;

c) expansion of capacity of newly commissioned enterprises in the planned year taking into account that they will operate within a year.

The general commissioning of capacity is based on the estimates that the capacity increases and will function within a year;

d) failure of capacity is given from the estimates that the capacity decreases within a year.

The average annual capacity shows what capacity functions at an average per annum proceeding from the stipulated time of implementation of all arrangements. It is estimated according to the following formula:

where:

Mo - capacity at the beginning of a year;

M_T - increase in capacity due to organizational and technical arrangements:

M - putting capacity out of operation;

K₁, K₂, K₃ - coefficients that indicate participation of capacities at an average on the process of production.

The coefficient of capacity use of running enterprises (K_i) is determined with due account to its increase as against the achieved one for the base period.

The output of products (P) is determined

While analysing the operation of enterprises for the past period the coefficient of capacity use shows the results of productive activities.

$$K_{i} = -\frac{P}{M_{3}}$$

When Section I has been estimated, Section II shall be estimated as well. Section III is estimated as the total of Section I and Section II. (See: numerical conventional example-Appendix No.1)

The estimates of production capacities use shall be the basic substantiation of production capacities balance that may be given in the following formalized shape:

$$M_{\eta} = M_{Q} + M_{M} + M_{P} \pm M_{\eta} - M_{B}$$

where:

M // - production capacity at the end of planned period;

Mo - production capacity at the beginning of planned period;